



Water Quantity and Quality

- Soilless systems (container production, raised-bed production or hydroponics) require intensive management of water and nutrients for optimal plant growth and production
- Irrigation water quality impacts....
 - Nutrient levels and availability
 - Chemical characteristics of the soilless growth substrate
- Test irrigation water source before starting a crop and possibly during production








What is Karst?

- A geologic landscape characterized by the presence of:
 - Sinkholes
 - Caves & underground drainage systems
 - Losing streams
 - Springs
- Created as groundwater dissolves underlying bedrock such as limestone or dolomite


















Copyright 2017 by Robert A. Schultheis. Printouts of this presentation may be freely reproduced for educational purposes. All other rights reserved.



































pH Adjustment

- Lower pH
- Use fertilizer with acid residue
- Apply sulfur-containing compounds $S + O_2 + H_2O \longrightarrow H_2SO_4 \longrightarrow 2 H^+ + SO_4^{-2}$
 - (requires action of microbes)
- Sulfuric acid

GUARANTEED ANALYSIS

NET WEIGHT 25 POUNDS (11.34 KG)

PETERS® GENERAL PURPOSE SPECIAL 20-10-20

GUARANTEED ANALYSIS

POTAL NITROGEN (N) 20

12.00% NITRATE NITROGEN

8.00% AMMONIACAL NITROGEN

AVAILABLE PHOSPHORIC ACID (P.O.) 10

SOLUBLE POTASH (K.O) 20

Primary Plant Nutrient Sources: Ammonium Nitrate, Ammonium Phosphate, Potassiu Nitrate.


Potential Acidity (22 lbs. Calcium Carbonate Equivalent Per Ton.)

Manufactured by: Peters® Fertilizer Products, W. R. GRACE & CO., Fogelsville, Pa. 180:

Alkalinity


- Alkalinity establishes the buffering capacity of water and affects how much acid is required to change the pH
 - Don't confuse with alkaline pH
- Alkalinity of the irrigation water has more effect on the substrate pH than the pH of the water
- pH will change much more gradually in large containers (more substrate volume) than small containers or individual cells in a plug tray


Reference: www.ces.ncsu.edu/depts/hort/hil//hil-558.html




• Recommended ranges & solutions - <150 ppm = no problem expected; 100 ppm is high for plug production - 150 to 300 ppm = increasing concern if the water pH is >7.5. Use acidifying fertilizers regularly, and use a more acid growing substrate ->300 ppm = significant problems if the water pH is >7.5. Acid injection into the irrigation water may be the only remedy

Copyright 2017 by Robert A. Schultheis. Printouts of this presentation may be freely reproduced for educational purposes. All other rights reserved.





Hardness Hardness is a measure of dissolved minerals (usually calcium and magnesium) in the water Hard water sediment can clog irrigation systems < 150 ppm or <9 gpg preferred Check Ca:Mg ratio if water has high alkalinity or hardness Ratio should be 3 to 5 Ca: 1 Mg High Mg can block calcium absorption leading to calcium deficiency Check sodium absorption ratio (SAR) if sodium is high in irrigation water SAR value >4 can cause plant uptake of damaging sodium Conversion factors: part per million (ppm) = 1 milligram per liter (mg/L) = grains per gallon (gpg) x 17



Preferred Plant Micronutrient Levels in Irrigation Water Iron (Fe) = 0 to 1 ppm Copper (Cu) = 0 to 0.2 ppm Manganese (Mn) = 0 to 1 ppm Zinc (Zn) = 0 to 0.3 ppm Boron (B) = 0 to 1 ppm Sodium (Na) = 0 to 50 ppm


Irrigation Systems		
Factor	Moderate (ppm)*	Severe (ppm)*
Physical Suspended solids	50-100	>100
Chemical	Ta.	
pH**	7.0-7.5	>7.5
Dissolved solids	500-2000	>2000
Manganese	0.1-1.5	>1.5
Iron	0.1-1.5	>1.5
Hardness***	150-300	>300
Hydrogen sulfide	0.5-2.0	>2.0

Chemical Water Treatment


- Useful to manage both inorganic and organic problems
- · Goals of chemical treatment
 - Cause some particles to settle out or precipitate
 - Cause some particles to remain soluble or to dissolve
- Place filtration after chemical treatment
- Backflow prevention is critical

Chemical Water Treatment Chlorine Kills microbial activity (algae, bacteria) Decomposes organic materials Oxidizes soluble minerals, causing them to precipitate out of solution Chlorine (<6 mo. old) needs "contact time" Powdered HTH can plug emitters





Shock-Chlorinating Your 6-inch Diameter Well • Let chlorine water stand in system at least 4 hours • Flush system with water, starting outside • Retest for bacteria after 7-10 days - \$10 cost; county DHSS office has sterile sample bottle - Keep sample cool and dark, get to lab in 6 hours • Keep test results with important papers



Chemical Water Treatment

- Acid treatment
 - Lowers water pH
 - Help acidify soil for plants (blueberries)
 - Maintains solubility or dissolves manganese, iron, and calcium precipitates
 - Make chemicals work better
- Potassium permanganate
 - Oxidizes iron, causing it to precipitate



Chemical Water Treatment

- · Acid injection rate calculation
 - Amount of acid needed to treat a system
 - Strength of acid used
 - Buffering capacity of the irrigation water (alkalinity)
 - Desired pH of water
 - Perform a titration to determine the acid volume : water volume ratio
- Calibration of injection pumps is critical

Resource: http://extension.uga.edu/publications/detail.html?number=B1130

Chemical Water Treatment

- Calcium salts (carbonates, phosphatics)
- Water pH >7.5, bicarbonate levels >100ppm
- Acid injection
 - Target pH 4.0 or lower for 30 to 60 minutes/daily
 - Sulfuric, phosphoric, hydrochloric, or citric acid used
 - Flush and clean injector
- Water softening (household systems)

45

Three Steps for Iron Removal

- An oxidizer is added to the water, which induces precipitation of the iron and hydrogen sulfide, and the precipitated contaminant is then filtered out of the water
- pH control
 - Low pH (2.0) iron dissolves
 - High pH (7.2+) iron precipitates



4

Iron Removal Options

- Iron bacteria
 - Chlorine + retention + filtration
- Ferric (red rust) iron
 - Filter, but may require use of coagulant
- Ferrous (clear water) iron < 5 ppm
 - Ion exchange with resin bed, fouls easily



Iron Removal Options 星

- Ferrous (clear water) iron 5+ ppm
 - Aeration + retention + filtration
 - Hydrogen peroxide + retention + filtration
 - Hydrogen peroxide + retention + filtration
 Ozone (strong oxidizer) + retention + filtration
 - Chlorine (as a gas, calcium hypochlorite, or sodium hypochlorite at 1 part Cl : 1 part Fe) + retention + filtration (by manganese greensand, anthracite/greensand or activated carbon)
 Greensand is then regenerated by using potassium permanganate (at 0.2 parts of pot. perm. : 1 part of iron)
 - Oxidizing filter media (pyrolusite ore) + backwash it at 25 to 30 gallons per sq. ft.
 - Manganese greensand (high capacity & high flow). Regenerate it with potassium permanganate at 1.5 to 2 oz. per cubic foot of greensand

Copyright 2017 by Robert A. Schultheis. Printouts of this presentation may be freely reproduced for educational purposes. All other rights reserved.







